

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Unicell® 40

Version 1.0

SDS Number: 100000030187

Revision Date: 2020/01/09

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Unicell® 40  
Product code : 100000030187  
Type of product : powder  
Chemical nature :

#### Recommended use of the chemical and restrictions on use

Product use : Mortar

#### Manufacturer or supplier's details

Company : Ronacrete (Guangzhou) Construction Products Ltd.  
No 60, Lixinsha Dong Lu,  
Wanqingsha, Nansha, 511462 Guangzhou,  
Guangdong P.R.China

[www.ronacrete.com.cn](http://www.ronacrete.com.cn)

Telephone : (86) 20 8494 1000  
Emergency telephone number : -  
Telefax : (86) 020 8494 2000  
E-mail address : -  
Emergency telephone number : -

### 2. HAZARDS IDENTIFICATION

#### Emergency Overview

<b>Appearance</b>	: powder
<b>Colour</b>	: grey
<b>Odour</b>	: odourless

Causes severe skin burns and eye damage. May cause an allergic skin reaction. May cause respiratory irritation.

#### GHS Classification

Skin corrosion/irritation : Category 1  
Serious eye damage/eye irritation : Category 1  
Skin sensitisation : Category 1  
Specific target organ toxicity - single exposure : Category 3 (respiratory tract irritation)

#### GHS label elements

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Unicell® 40

Version 1.0

SDS Number: 100000030187

Revision Date: 2020/01/09

Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction. H335 May cause respiratory irritation.
Precautionary statements	:	<b>Prevention:</b> P260 Do not breathe dust or mist. P264 Wash skin thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. <b>Response:</b> P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor. P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor. P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P362 + P364 Take off contaminated clothing and wash it before reuse. <b>Storage:</b> P403 + P233 Store in a well-ventilated place. Keep container tightly closed. P405 Store locked up. <b>Disposal:</b> P501 Dispose of contents/ container to an approved waste disposal plant.

### Physical and chemical hazards

Not classified based on available information.

### Health hazards

Causes severe skin burns and eye damage. Causes serious eye damage. May cause an allergic skin reaction. May cause respiratory irritation.

### Environmental hazards

Not classified based on available information.

### Other hazards which do not result in classification

None known.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Unicell® 40

Version 1.0

SDS Number: 100000030187

Revision Date: 2020/01/09

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Hazardous components

Chemical name	CAS-No.	Concentration (%)
Cement, portland, chemicals	65997-15-1	>= 30 - < 50
Quartz (SiO <sub>2</sub> )	14808-60-7	>= 30 - < 50
sulfoaluminate clinker	Not Assigned	>= 3 - < 10
silicate amorph	93763-70-3	>= 1 - < 10

### 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.  
Consult a physician.  
Show this safety data sheet to the doctor in attendance.
- If inhaled : Move to fresh air.  
Consult a physician after significant exposure.
- In case of skin contact : Take off contaminated clothing and shoes immediately.  
Wash off with soap and plenty of water.  
Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty.
- In case of eye contact : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.  
In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
Continue rinsing eyes during transport to hospital.  
Remove contact lenses.  
Keep eye wide open while rinsing.
- If swallowed : Clean mouth with water and drink afterwards plenty of water.  
Do NOT induce vomiting.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
Take victim immediately to hospital.
- Most important symptoms and effects, both acute and delayed : Health injuries may be delayed.  
corrosive effects  
irritant effects  
sensitising effects  
Cough  
Respiratory disorder  
Allergic reactions  
Dermatitis  
See Section 11 for more detailed information on health effects and symptoms.  
May cause an allergic skin reaction.  
Causes serious eye damage.  
May cause respiratory irritation.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Unicell® 40

Version 1.0

SDS Number: 100000030187

Revision Date: 2020/01/09

Causes severe burns.

Notes to physician : Treat symptomatically.

---

### 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Hazardous combustion products : No hazardous combustion products are known

Specific extinguishing methods : Standard procedure for chemical fires.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

---

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Avoid breathing dust.  
Deny access to unprotected persons.

Environmental precautions : Do not flush into surface water or sanitary sewer system.  
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Pick up and arrange disposal without creating dust.  
Keep in suitable, closed containers for disposal.

---

### 7. HANDLING AND STORAGE

#### Handling

Advice on protection against fire and explosion : Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.

Advice on safe handling : Avoid exceeding the given occupational exposure limits (see section 8).  
Do not get in eyes, on skin, or on clothing.  
For personal protection see section 8.  
Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.  
Smoking, eating and drinking should be prohibited in the application area.  
Follow standard hygiene measures when handling chemical products

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Unicell® 40

Version 1.0

SDS Number: 100000030187

Revision Date: 2020/01/09

Avoidance of contact : No data available

### Storage

Conditions for safe storage : Store in original container.  
Keep in a well-ventilated place.  
Observe label precautions.  
Store in accordance with local regulations.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Cement, portland, chemicals	65997-15-1	TWA (Respirable particulate matter)	1 mg/m <sup>3</sup>	ACGIH
Quartz (SiO <sub>2</sub> )	14808-60-7	PC-TWA (Total dust)	0.5 mg/m <sup>3</sup>	GBZ 2.1-2007
		Further information: G1 - Carcinogenic to humans, crystalline		
		PC-TWA (Respirable dust)	0.2 mg/m <sup>3</sup>	GBZ 2.1-2007
		Further information: G1 - Carcinogenic to humans, crystalline		
		PC-TWA (Total dust)	0.7 mg/m <sup>3</sup>	GBZ 2.1-2007
		Further information: G1 - Carcinogenic to humans, crystalline		
		PC-TWA (Total dust)	1 mg/m <sup>3</sup>	GBZ 2.1-2007
		Further information: G1 - Carcinogenic to humans, crystalline		
		PC-TWA (Respirable dust)	0.7 mg/m <sup>3</sup>	GBZ 2.1-2007
		Further information: G1 - Carcinogenic to humans, crystalline		
		TWA (Respirable particulate matter)	0.025 mg/m <sup>3</sup>	ACGIH
		TWA (Respirable particulate matter)	0.025 mg/m <sup>3</sup> (Silica)	ACGIH
		TWA (Respirable particulate matter)	0.025 mg/m <sup>3</sup>	ACGIH
		TWA (Respirable particulate matter)	0.025 mg/m <sup>3</sup> (Silica)	ACGIH
silicate amorph	93763-70-3	PC-TWA	8 mg/m <sup>3</sup>	GBZ 2.1-

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Unicell® 40

Version 1.0

SDS Number: 100000030187

Revision Date: 2020/01/09

		(Total dust)		2007
		PC-TWA (Respirable dust)	4 mg/m <sup>3</sup>	GBZ 2.1- 2007

Not applicable

### Personal protective equipment

- Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. The filter class for the respirator must be suitable for the maximum expected contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-contained breathing apparatus must be used.
- Eye/face protection : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary.
- Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.
- Hand protection : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
- Hygiene measures : Handle in accordance with good industrial hygiene and safety practice.  
When using do not eat or drink.  
When using do not smoke.  
Wash hands before breaks and at the end of workday.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : powder
- Colour : grey
- Odour : odourless
- Odour Threshold : No data available
- pH : > 12, Concentration: 1,995 g/l
- Melting point/range / Freezing point : No data available
- Boiling point/boiling range : No data available
- Flash point : Not applicable
- Evaporation rate : No data available

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Unicell® 40

Version 1.0

SDS Number: 100000030187

Revision Date: 2020/01/09

---

Flammability	: No data available
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Density	: ca. 1,995 kg/m <sup>3</sup> (ca. 27 °C (81 °F) ())
Bulk density	: ca. 1,290 kg/m <sup>3</sup>
Solubility(ies)	
Water solubility	: No data available
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	
Viscosity, dynamic	: Not applicable
Viscosity, kinematic	: > 20.5 mm <sup>2</sup> /s (40 °C)
Explosive properties	: No data available
Molecular weight	: No data available

---

### 10. STABILITY AND REACTIVITY

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: The product is chemically stable.
Possibility of hazardous reactions	: Stable under recommended storage conditions.
Conditions to avoid	: No data available
Incompatible materials	: No data available
No decomposition if stored and applied as directed.	

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Unicell® 40

Version 1.0

SDS Number: 100000030187

Revision Date: 2020/01/09

---

### 11. TOXICOLOGICAL INFORMATION

**Acute toxicity**

No data available

**Skin corrosion/irritation**

Causes severe burns.

**Serious eye damage/eye irritation**

Causes serious eye damage.

**Respiratory or skin sensitisation**

Skin sensitisation: May cause an allergic skin reaction.

Respiratory sensitisation: Not classified based on available information.

**Germ cell mutagenicity**

Not classified based on available information.

**Carcinogenicity**

Not classified based on available information.

**Reproductive toxicity**

Not classified based on available information.

**STOT - single exposure**

May cause respiratory irritation.

**STOT - repeated exposure**

Not classified based on available information.

**Aspiration toxicity**

Not classified based on available information.

---

### 12. ECOLOGICAL INFORMATION

**Ecotoxicity**

No data available

**Persistence and degradability**

No data available

**Bioaccumulative potential**

No data available

**Mobility in soil**

No data available

**Other adverse effects**

**Product:**

Additional ecological information : There is no data available for this product.



# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Unicell® 40

Version 1.0

SDS Number: 100000030187

Revision Date: 2020/01/09

---

### 13. DISPOSAL CONSIDERATIONS

#### Disposal methods

Waste from residues : Do not contaminate ponds, waterways or ditches with chemical or used container.  
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.

---

### 14. TRANSPORT INFORMATION

#### International Regulations

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### National Regulations

#### Special precautions for user

Not applicable

---

### 15. REGULATORY INFORMATION

#### National regulatory information

Law on the Prevention and Control of Occupational Diseases

#### The components of this product are reported in the following inventories:

IECSC : Not in compliance with the inventory

---

### 16. OTHER INFORMATION

Date format : yyyy/mm/dd

#### Disclaimer

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.